

L I V I N G V O I C E

Auditorium Avatar OBX – R

“The proof is in the listening – the music you love, whatever it may be, gets that bit more engrossing when you here it through these speakers”

“They’ll turn you into the raving music nut that got you started in the first place” HFC December 1999

This model takes the Auditorium Series to its ultimate conclusion. The Avatar OBX-R contains every possible refinement and detail. Hand made with meticulous attention to detail, it is uncompromised by production engineering constraints. Crossover filters are star earthed and suspended in two external cases allowing idealised component orientation, spacing and isolation. The Avatar OBX-R provides unrivalled insight and pleasure.



Technical Summary

750 density hardwood composite enclosure.
Scanspeak Revalator D990000 high frequency unit.
Components toleranced to two decimal places.
High sensitivity D’appolito configuration.
Clarostat non-inductive wire wound resistors.
Hovland discrete film & foil Musicaps.

Book matched premium veneers.
External suspended crossovers.
Stiff triple braced cabinet.
Star earthing.
Hand wound air core inductors.

Specifications

Sensitivity	94 dB	Nominal impedance	6 ohms
Dimensions h/w/d	104/22/28 cms	Loading	Reflex port
Frequency Response	35Hz – 22.5kHz	Power handling	100 watts
Gross Weight	20 kgs per unit	Crossover box	12/42/26 cms


Stanhope House Harrington Mill Leopold Street Long Eaton Nottingham NG10 4QE U.K.
Tel: + 44 (0) 115 9733 222 Fax: + 44 (0) 115 9733 666 email: shout@livingvoice.co.uk



R2

CONNECTIONS FOR OBX-R2 SPEAKERS AND CROSSOVERS

LIVING VOICE





RW

CONNECTIONS FOR OBX-RW
SPEAKERS AND CROSSOVERS

LIVING VOICE

